

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	713/156,168-170,175,178,181.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:32
L2	18	380/270,268,255,28-30.ccls. and ((certificate near2 (user node terminal device apparatus client)) with (encrypt\$3 scrambl\$3 cipher \$3) with (secret session shared common random) near (key seed number sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:33
L3	5	380/270,268,255,28-30.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:33
L4	53	713/156,168-170,175,178,181.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information)) hash digest) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:34

L5	0	726/2,27,21,30.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:39
L6	5	726/2,27,21,30.ccls. and ((generat\$3 calculat\$3 computing manipulats\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value stamp)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:39
L7	68	713/156,168- 170,175,178,181.ccls. and ((generat\$3 calculat\$3 computing manipulats\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value stamp)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:39
L8	46	((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:40
L9	0	455/410,411.ccls. and ((generat\$3 calculat\$3 computing manipulats\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:42

L10	6	((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:42
L11	0	((generat\$3 calculat\$3 computing manipulats\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value stamp))) and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:44
L12	0	((generat\$3 calculat\$3 computing manipulats\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value stamp))) and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:44
L13	53	((append\$3 add\$3 insert\$3 merg\$3 join\$3 combin\$4 embed\$4) with (((authentication authorization) adj (string message value code)) hash digest) with (certificate)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:46

L14	6	((append\$3 add\$3 insert\$3 merg\$3 join\$3 combin\$4 embed\$4) with ((authentication authorization) adj (string message value code)) hash digest) with (certificate)) and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 ((authentication authorization) adj (string message value code)) hash digest) with time)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 09:49
L15	18	380/270,268,255,28-30.ccls. and ((certificate near2 (user node terminal device apparatus client)) with (encrypt\$3 scrambl\$3 cipher \$3) with (secret session shared common random) near (key seed number sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/10 10:11

10/10/2008 10:17:44 AM

C:\Documents and Settings\npatel5\My Documents\EAST\Workspaces\FY_07
 \WorkSpace_648_Taghi_10603424.wsp